Rittal - The System.

Faster - better - everywhere.

AX compact control cabinet Basic enclosure AX, carbon steel - AX 1050.000

Date: Sep 8, 2021



AX compact control cabinet Basic enclosure AX, carbon steel – AX 1050.000

created: 08.09.2021 build on www.rittal.com/us-en



Product description	
Material:	Housing: Carbon steel Door: Carbon steel, all-round foamed-in PU seal
Surface finish:	Housing and door: Dipcoat primed, powder-coated on the outside, textured paint Mounting plate: Zinc-plated
Color:	RAL 7035
Protection category IP to IEC 60 529:	IP 66
Protection category NEMA:	NEMA 1, 3R, 4, 12
Type rating according to UL 50E:	Type 1, 3R, 4, 12
IK code:	IK10
Supply includes:	Housing with door(s) Flange (gland) plate(s) in enclosure base Mounting plate Punched door strip Lock: 3 mm double-bit
Base material:	Carbon steel

Product description

Dimensions: Height: 500 mm (20 ") Width: 500 mm (20 ")

© Rittal 2021

Depth: 210 mm (8.3 ")

Material thickness:: Housing: 1.25 mm Door: 1.5 mm Mounting plate: 2.5 mm Mounting plate: Height: 475 mm (19 ") Width: 450 mm (18 ") 1 Number of doors: Door catch on right, yes may be swapped to the left: Number of cam locks: 2 Lock version: Cam No. of locks: 2 Lock Insert: 3 mm double-bit 3 Flange plate, size: 1 Flange plate, qty: Packaging unit: 1 pc(s). Weight/packaging 15.4 kg (34 lb.) unit: EAN: 4028177813397 **Customs tariff** 94032080 number: ETIM 7.0: EC000261 ETIM 6.0: EC000261 eCl@ss 8.0/8.1: 27180101 eCl@ss 6.0/6.1: 27180101 **Product description:** AX Compact enclosure, WHD: 500x500x210 mm, sheet steel, with mounting plate, single-door, with two cam locks

Approvals

Approvals: Bureau Veritas

. .

DNV-GL Lloyds Register of Shipping UL + C-UL

Certificates:	Certificate of manufacturer according to RMRS
Declarations:	Declaration of conformity

© Rittal 2021

3